Monitoring metrics in the Cloudera Operational Database with Grafana (Preview)

Date published: 2023-08-10 Date modified: 2024-11-12

Legal Notice

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 ("ASLv2"), the Affero General Public License version 3 (AGPLv3), or other license terms.

Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners. Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

| Legal Notice | 3 |
|---|----|
| Contents | 4 |
| Background | 5 |
| Enabling Grafana dashboard in COD | 6 |
| Enabling Grafana dashboard for an existing COD database | 10 |
| Importing a Grafana dashboard | 17 |

Background

Cloudera Operational Database (COD) provides a pre-defined solution to visualize the COD metrics comprehensively. COD uses Grafana to store and visualize the metrics. You can seamlessly access all the COD metrics using this Grafana solution.

Grafana deployment for COD aims to provide the following benefits.

- Enables access restriction to Cloudera Manager: You can obtain necessary information and perform the required operations through the COD API, CLI, or UI while maintaining appropriate access restrictions to Cloudera Manager for other operations.
- Utilizes ready-made dashboards with advanced widgets: COD utilizes the pre-built dashboards that Grafana offers, to visualize and monitor the performance of various components.
- Integrates external metrics sources: COD allows you to incorporate metrics from external sources such as S3 storage. This integration provides a comprehensive view of COD, which helps to understand COD performance problems more effectively.

Consider the following aspects while enabling Grafana for COD.

- *Grafana server upgrade*: COD focuses on utilizing the existing version to meet the requirements and the upgrade of the Grafana server is not within the scope of this solution.
- *Manual dashboard updates*: You must explicitly download the updated dashboards from the Cloudera Public repository. This allows flexibility and ensures that you have the latest dashboard versions whenever necessary.
- Operating System support: The existing solution works on Red Hat, CentOS, RHEL, and Fedora OS because of an RPM-based installation. That is why COD does not allow you to install Grafana with custom images having different OS.
- Data Lake metrics support: COD does not include the Data Lake metrics in this solution. Only individual COD (Data Hub) metrics appear in the Grafana dashboard.
- *HA Knox support*: Currently, COD only supports a single Gateway host with a single Knox Gateway.
- Foursquare plugin support: The Cloudera Manager foursquare datasource plugin does not support sending alerts. That is why alerts cannot be created on HBase, HDFS, and ZooKeeper dashboard panels.

Enabling Grafana dashboard in COD

Learn how to enable the Grafana URL to visualize the Cloudera Operational Database (COD) metrics.

Before you begin

{

- You must whitelist the <u>Cloudera archive</u> URL so that the necessary RPM packages for Grafana can be installed in the instances.
- You must whitelist the <u>Cloudera repository</u> so that the dashboards are created automatically.
- You must whitelist the <u>Grafana RPM packages</u> URL so that Grafana can be installed in the instances.
- You must whitelist the <u>Google API storage</u> URL so that the Cloudera Manager fousquare plugin can be installed.
- You must attach the following policy for CloudWatch plugin under cdp-infra2-logs-role (or the role with which the ec2 instances are created) to enable the Amazon S3 metrics in the Grafana dashboard. To attach a policy under the **cdp-infra2-logs-rolee**, see <u>Create</u> <u>a cross-account IAM role</u>.

```
"Version": "2012-10-17",
"Statement": [
    {
        "Sid": "AllowReadingMetricsFromCloudWatch",
        "Effect": "Allow",
        "Action": [
            "Action": [
            "cloudwatch:DescribeAlarmsForMetric",
            "cloudwatch:DescribeAlarmHistory",
            "cloudwatch:DescribeAlarms",
            "cloudwatch:ListMetrics",
```

```
"cloudwatch:GetMetricStatistics",
          "cloudwatch:GetMetricData",
          "cloudwatch:GetInsightRuleReport"
       ],
     "Resource": "*"
},
{
     "Sid": "AllowReadingLogsFromCloudWatch",
      "Effect": "Allow",
       "Action": [
       "logs:DescribeLogGroups",
       "logs:GetLogGroupFields",
       "logs:StartQuery",
       "logs:StopQuery",
       "logs:GetQueryResults",
       "logs:GetLogEvents"
        1,
        "Resource": "*"
   },
{
  "Sid": "AllowReadingTagsInstancesRegionsFromEC2",
    "Effect": "Allow",
    "Action": [
```

```
"ec2:DescribeTags",
      "ec2:DescribeInstances",
      "ec2:DescribeRegions"
       ],
        "Resource": "*"
  },
  {
     "Sid": "AllowReadingResourcesForTags",
     "Effect": "Allow",
     "Action": "tag:GetResources",
     "Resource": "*"
  },
  {
    "Sid": "AllowReadingAcrossAccounts",
    "Effect": "Allow",
    "Action": [
      "oam:ListSinks",
      "oam:ListAttachedLinks"
      ],
       "Resource": "*"
  }
]
```

This document has been released as part of a technical preview for features described herein. Technical preview components are provided as a convenience to our customers for their evaluation and trial usage. These components are provided 'as is' without warranty or support. Further, Cloudera assumes no liability for the usage of technical preview components, which should be used by customers at their own risk.

}

• You must also create a CloudWatch metrics configuration to enable the Amazon S3 metrics in the Grafana dashboard. See the steps mentioned under Using the S3 console in <u>Creating a CloudWatch metrics configuration for all the objects in your bucket</u>.

Steps

- 1. Log in to the CDP CLI command tool.
- Run the following command. cdp opdb create-database --environment <environment_name> --database <database_name> --enable-grafana For example,

```
cdp opdb create-database --environment-name cod-7216-micro10
--database-name odx2408 --enable-grafana
```


Result

On successfully executing the command, the Grafana URL is added under the GRAFANA DASHBOARD option inside the COD database as shown in the following figure.

| ENVIRONMENT cod-7216-micro4 | | | REGION DATA LAKE Us-west-2 cod-7216-micro | | | | ana dashboard 🤅 | | CLOUD STORAGE LOCATION | |
|--------------------------------|-----|-----------|--|-------------|-----------------|----------------|-----------------|----------------|------------------------|--|
| Connect Charts Events | | | | | | | | | | |
| НВ | ase | HBase RES | T HBase Cli | ent Tarball | Phoenix (Thick) | Phoenix (Thin) | Phoenix (ODBC) | Phoenix Python | | |

When you click on the Grafana URL, it takes you to the Grafana dashboard.

Here is an example of the HBase dashboard using Grafana.



Related information

<u>CDP CLI Beta</u>

Enabling Grafana dashboard for an existing COD database

Learn how to enable the Grafana URL to visualize the Cloudera Operational Database (COD) metrics for an existing COD database.

Before you begin

- You must whitelist the <u>Cloudera archive</u> URL so that the necessary RPM packages for Grafana can be installed in the instances.
- You must whitelist the <u>Cloudera repository</u> so that the dashboards are created automatically.

- You must whitelist the <u>Grafana RPM packages</u> URL so that Grafana can be installed in the instances.
- You must whitelist the <u>Google API storage</u> URL so that the Cloudera Manager fousquare plugin can be installed.
- You must attach the following policy for CloudWatch plugin under cdp-infra2-logs-role (or the role with which the ec2 instances are created) to enable the Amazon S3 metrics in Grafana dashboard. To attach a policy under the cdp-infra2-logs-rolee, see <u>Create a</u> <u>cross-account IAM role</u>.

```
{
    "Version": "2012-10-17",
    "Statement": [
      {
        "Sid": "AllowReadingMetricsFromCloudWatch",
         "Effect": "Allow",
          "Action": [
              "cloudwatch:DescribeAlarmsForMetric",
              "cloudwatch:DescribeAlarmHistory",
                "cloudwatch:DescribeAlarms",
                "cloudwatch:ListMetrics",
                "cloudwatch:GetMetricStatistics",
                "cloudwatch:GetMetricData",
                "cloudwatch:GetInsightRuleReport"
             ],
           "Resource": "*"
      },
```

```
{
     "Sid": "AllowReadingLogsFromCloudWatch",
      "Effect": "Allow",
       "Action": [
       "logs:DescribeLogGroups",
       "logs:GetLogGroupFields",
       "logs:StartQuery",
       "logs:StopQuery",
       "logs:GetQueryResults",
       "logs:GetLogEvents"
        ],
        "Resource": "*"
  },
{
  "Sid": "AllowReadingTagsInstancesRegionsFromEC2",
    "Effect": "Allow",
    "Action": [
    "ec2:DescribeTags",
    "ec2:DescribeInstances",
    "ec2:DescribeRegions"
     ],
      "Resource": "*"
},
```

```
{
     "Sid": "AllowReadingResourcesForTags",
     "Effect": "Allow",
     "Action": "tag:GetResources",
     "Resource": "*"
  },
  {
    "Sid": "AllowReadingAcrossAccounts",
    "Effect": "Allow",
    "Action": [
      "oam:ListSinks",
      "oam:ListAttachedLinks"
      ],
       "Resource": "*"
  }
]
```

• You must also create a CloudWatch metrics configuration to enable the Amazon S3 metrics in Grafana dashboard. See the steps mentioned under Using the S3 console in <u>Creating a CloudWatch metrics configuration for all the objects in your bucket</u>.

Steps

}

1. Go to the Cloudera repository and copy these files (*grafana-install-configure-v2.sh* and *configure-knox-for-grafana.sh*) to the gateway node of the COD cluster.

If you are using CDH version 7.2.15, download *configure-knox-for-grafana7215.sh* file. Following is an example command.

```
scp -i ~/.ssh/odx-developers.pem
./grafana-install-configure-v2.sh cloudbreak@10.1.1.1:
scp -i ~/.ssh/odx-developers.pem ./configure-knox-for-grafana.sh
cloudbreak@10.1.1.1:
```

2. Connect to the gateway node.

Following is an example command.

ssh -i ~/.ssh/odx-developers.pem cloudbreak@10.8.2.5

3. Get the root permission for the folder where you copied the script files. Following is an example command.

```
sudo -i cd /home/cloudbreak/
```

4. Set the owner permission for the script files so that it can run successfully.

```
chown root:root *
```

5. Run the Grafana installation script. Following is an example command.

```
./grafana-install-configure-v2.sh
```

Result of step

```
extracted string: cod--186yjxqvwcwoh
Failed to set locale, defaulting to C
Loaded plugins: fastestmirror, versionlock
```

```
Determining fastest mirrors
epel/x86_64/metalink
| 27 kB 00:00:00
* base: download.cf.centos.org
* centos-sclo-rh: download.cf.centos.org
* centos-sclo-sclo: download.cf.centos.org
* epel: ftp-osl.osuosl.org
* extras: download.cf.centos.org
* updates: download.cf.centos.org
base
| 3.6 kB 00:00:00
cdp-infra-tools
| 2.9 kB 00:00:00
centos-sclo-rh
| 3.0 kB 00:00:00
```

Created symlink from /etc/systemd/system/multi-user.target.wants/grafana-server.servic e to /usr/lib/systemd/system/grafana-server.service.

If the command is successful, you must see the symlink created message.

6. Check the Grafana service status using the systemctl command.

systemctl status grafana-server.service

Result of step

...

grafana-server.service - Grafana instance Loaded: loaded (/usr/lib/systemd/system/grafana-server.service; enabled; vendor preset: disabled) Active: active (running) since Tue 2023-08-22 10:51:08 UTC; 16s ago Docs: http://docs.grafana.org Main PID: 25273 (grafana) CGroup: /system.slice/grafana-server.service __25273 /usr/share/grafana/bin/grafana server --config=/etc/grafana/grafana.ini --pidfile=/var/run/grafana/grafana-server.pid --packaging=rpm cfg:default.paths.logs=/var/log/gr...

7. Run the Knox configuration script.

Following is an example command.

./configure-knox-for-grafana.sh

If you are using CDH version 7.2.15, use the following command ./configure-knox-for-grafana7215.sh.

Result of step

Installing knox service configs for grafana

Adding GRAFANA service in the cdp-proxy topology

Adding GRAFANA service in the cdp-proxy topology in the active directory

8. Restart the Knox service using Cloudera Manager.

Result

The following is a sample Grafana dashboard URL.

https://<GATEWAY-FQDN>/grafanacod/dashboards

You can obtain the value of < GATEWAY-FQDN > from COD DATAHUB > Nodes > Gateway. In the listed table, you can find the FQDN column. For example, https://cod--186yjxqvwcwoh-gateway0.cod-7216.xcu2-8y8x.dev.cldr.work/g rafanacod/dashboards.

Related information

• CDP CLI Beta

Importing a Grafana dashboard

Know how to import an existing Grafana dashboard into your COD environment.

Before you begin

- You must whitelist the <u>Cloudera archive</u> URL so that the necessary RPM packages for Grafana can be installed in the instances.
- You must whitelist the Cloudera repository so that the dashboards are created automatically.

Steps

- 1. Download the dashboard JSON files (for example, *S3.json*) in your local computer from the <u>Cloudera repository</u>.
- 2. Open your Grafana portal and go to the Dashboard page.
- 3. Choose your folder where you want to install the dashboards (for example, *Cloudera*).
- 4. Click **New > Import** from the drop-down menu.
- 5. Upload the dashboard JSON file which you had downloaded earlier.

Result of step

After uploading the file you can see that the dashboard is created in your chosen folder.

6. Select the dashboard to see the graphs.